



Conventional Fire Systems

Series 65 Fire Detectors

Apollo 45681-200 Series 65 base

[◀ Back to Search results for "BF308Z" \(10 other results\)](#)



Apollo 45681-200 Series 65 base

Part No. **BF308Z**

- Compatible with all Apollo Series 65 detectors.
- Designed to enable detectors to be fitted without the need of force - particularly useful when fitting to suspended ceilings.
- Third-party certified to the relevant parts of EN54 in conjunction with Apollo's Series 65 detectors.
- Detector locking mechanism.
- One way fit.

Technical Specifications



Approvals/certifications	Certified to the relevant parts of EN54 by the LPCB as part of Apollo's Series 65 range.
Application/operation	TBC.
Alarm reset voltage	TBC.
Product dimensions (mm)	100mm diameter x H 15mm.
Construction & finish	White polycarbonate V.O in accordance with UL94. Nickel plated stainless steel terminals.
IP Rating	IP23D.
Weight	46g.

Accessories



ActiV Diode Base

9 other products in the same category:



**Apollo 55000-122 Series 65
AIR (57°C) heat...**



**Apollo 55000-127 Series 65
BR (75°C) heat detector**



**Apollo 55000-132 Series 65
CR (90°C) heat detector**



**Apollo 55000-137 Series 65
CS (90°C) heat detector**



**Apollo 55000-317 Series 65
optical smoke detector**



**Apollo 55000-217 Series 65
ionisation smoke...**



**Apollo 55000-220 Series 65
integrating...**



**Apollo 45681-201 Series 65
base with diode**



**Apollo 45681-245 Series 65
base with relay**

CONTACT US



C-TEC , Challenge Way, Wigan, WN5 0LD, UK Opening times: 08:30 - 17:00 GMT.



+44 (0) 1942 322744



sales@c-tec.co.uk
