

Lilaas control lever – LF120

Lilaas offers a wide range of high quality type approved multipurpose levers for single/double propulsion and thruster control.

Below you will find a simple technical description of various basic LF120 models.



On single thruster controls the aft handle and attached mechanics are removed.



On single propulsion controls the left handle and attached mechanics are removed.

Specification details basic versions

Materials / Finish	Steel A2, Al, POM, alodine, powder coating
Weight (net)	1,3 - 1,5 kg
Movement, handle / electrical	$\pm 60^\circ / 300^\circ$
Detent	In zero
Potentiometers	Single 5 k Ω , linear
Termination	16 pins contact with plug
Integrated scale light	28V, bulb
IP grade	With panel plate, 66
Type approval: EN/IEC 60945, ABS, BV, DNV, GL, KR, LR, NK, RINA, RS, CRS	
For standard scales, external dimensions and cut-out, see page 2.	
For customization and options see page 3.	


Lilaas AS, Kongeveien 75, P.O. Box705, N-3196 Horten, Norway. Tel: +47 33 03 18 50, fax: +47 33 03 18 60
Bank no: 2450.05.05628, NO917 748 446 MVA, E-mail : sales@lilaas.no

Certified according to NS-EN ISO 9001:2008

For more info, see our website <http://www.lilaas.no/>

Lilaas standard scales for LF120 control levers:

Thruster scale, FWD



Text: Helvetica medium, colour Marabu NCS-S 1500-N, id no. 449 offwhite.

Background colours: Green - Marabu SR 1616, id no. 221.

Red - Marabu SR 1323, id no. 248.


Scale light: 24V bulbs.

The potentiometer is of a plastic conductive type measuring 5 kΩ between the end points. The potentiometer must be used as a voltage divider and not as a rheostat. Wiper current must not exceed 1 mA..


Propulsion scales

FWD

AFT





LF120, external dimensions and cut-out



On motorized controllers the panel plate is standard.
Vertical dimensions motorized controller: 146 mm above and 91 mm below ship's panel.

Lilaas LF90 and LF180 are smaller and larger versions of this controller



Lilaas LF120 basic models:

Propulsion single FWD LF20S-01-09 	Propulsion double FWD LF120D-01-17 	Thruster single FWD LF120S-01-10 	Thruster double FWD LF120D-01-18 
Propulsion single AFT LF120S-01-37 	Propulsion double AFT LF120D-01-42 	Thruster double AFT LF120S-01-169 	Thruster double AFT LF120D-01-18 

Do you need an extended version? To simplify the customization process, please fill in your request to Lilaas in the *Spec your request* form below and forward it to: sales@lilaas.no

We will revert with price and availability.

Spec your request		
Options, other than standard	Yes	Description
Panel plate 96 x 144 mm	☐	
Panel plate custom	☐	
Handle / shaft	☐	
Handle interlock straight handle	☐	
Limited handle movement	☐	
Scale	☐	
Potentiometer	☐	
Detents	☐	
Springloaded return	☐	
Micro switch	☐	
Motorized	☐	
EI shaft	☐	
Other	☐	

Specification from:	Contact person:
Company:	E-mail:
	Telephone:



Lilaas AS is a world leading manufacturer of various types of control levers and joysticks for marine and offshore use.

As a result of unique design, top-grade materials and thorough test procedures, we produce products of high quality that requires a minimum of service and maintenance.

The control units from Lilaas include levers, controlling mechanism and accompanying electronics.

The products range from simple, one-axis control levers in different sizes, hand wheels and rudder controls to azimuth control units and multi-axis joysticks.

All units may be delivered motorised on all axes and with several optional features. The products comply with stringent certification requirements.

All kinds of vessels, from small fishing boats and ferries, via supply vessels to large tankers and cruise ships may be manoeuvred by control levers from Lilaas.

The products are certified by DNV and the company is certified under NS-EN ISO 9001-2008.

Lilaas AS

Kongeveien 75, P.O. Box705, N-3196 Horten, Norway.

Tel: +47 33 03 18 50, fax: +47 33 03 18 60

E-mail : sales@lilaas.no

Certified service partner:

Z-POWER Automation Pte Ltd
No. 8 Penjura Lane
Singapore 609189
SINGAPORE

Tel: +6564651925
Fax: +6564651926
E-mail: info@z-power.com.sg
www.z-power.com.sg

Certified distributor:

Shanghai EJH Group Co. Ltd
Room 501, No.1165, Jiang Ning Road,
Shanghai, CHINA 200060

Tel: +61072296/62300624/61398478
Hotline: 18017019329
Fax: +862161303138
E-mail: sales@ejhul.com
www.ejhul.com

Certified distributor:

Imtra Corporation
30 Samuel Barnett Boulevard
New Bedford, MA 02745 USA

Tel: +1 508 995-7000
Fax: +1 508 998-5359
E-mail: alex@imtra.com
www.imtra.com

